Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40	9878	port\$2 near select\$3 and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:55
S41	22727	port adj (select\$3 control\$3 switch\$3) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:23
S42	380	port adj (select\$3 control\$3 switch\$3) and dual adj port and two with (buffer fifo queue) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:17
S43	53	S42 and read adj write and write adj only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:18
S44	20	S42 and read adj write with port and write adj only with port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S45	36	S43 and dual adj port and single adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S46	52	S41 and port adj select with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S47	0	S44 and port adj select with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S48	0	S45 and port adj select with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19

S49	31	port adj (select\$3 control\$3 switch\$3) with read adj write adj port with write adj port and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:24
S50	11	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:24
S51	7	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports same (buffer\$1 fifo\$1 queue\$1) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S52	9	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports and (buffer\$1 fifo\$1 queue\$1) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S53	2	S52 NOT S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S54	7	bi\$1directional adj port same unidirectional adj port same (select\$3 control\$3 switch\$) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:58
S55	2	bi\$1directional adj port same unidirectional adj port same (select\$3 control\$3 switch\$) same buffer and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 11:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	9913	port\$2 near select\$3 and @ad<"20030913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:11
S40	9878	port\$2 near select\$3 and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:55
S41	22727	port adj (select\$3 control\$3 switch\$3) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:23
S42	380	port adj (select\$3 control\$3 switch\$3) and dual adj port and two with (buffer fifo queue) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:17
S43	53	S42 and read adj write and write adj only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:18
S44	20	S42 and read adj write with port and write adj only with port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S45	36	S43 and dual adj port and single adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S46	52	S41 and port adj select with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19
S47	0	S44 and port adj select with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:19

S48	0	S45 and port adj select with command	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2006/07/13 10:19
			DERWENT; IBM_TDB			
S49	31	port adj (select\$3 control\$3 switch\$3) with read adj write adj port with write adj port and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:24
S50	11	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:24
S51	7	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports same (buffer\$1 fifo\$1 queue\$1) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S52	9	port adj (select\$3 control\$3 switch\$3) with read adj write adj ports and (buffer\$1 fifo\$1 queue\$1) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S53	2	S52 NOT S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:34
S54	7	bi\$1directional adj port same unidirectional adj port same (select\$3 control\$3 switch\$) and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:58
S55	2	bi\$1directional adj port same unidirectional adj port same (select\$3 control\$3 switch\$) same buffer and (@ad<"20020913" @rlad<"20020913")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 11:02